

FIG. 1




FIG. 2A




FIG. 2B




FIG. 2C




FIG. 3




FIG. 4

SCREEN SIZE (INCH TYPE)	LENGTH S OF DIAGONAL LINE (MILLIMETERS)	LOWER LIMIT VALUE (MILLIMETERS)	RECOMMENDED LOWER LIMIT VALUE (MILLIMETERS)	RECOMMENDED VALUE (MILLIMETERS)	RECOMMENDED UPPER LIMIT VALUE (MILLIMETERS)	UPPER LIMIT VALUE (MILLIMETERS)
1	25.4	1.80	2.50	4.50	6.50	9.00
2	50.8	2.30	3.00	5.50	8.00	11.00
3	76.2	2.70	3.50	6.50	9.50	13.00
4	101.6	3.10	4.00	7.50	11.00	15.00
5	127.0	3.50	4.50	8.50	12.50	17.00
6	152.4	3.90	5.00	9.50	14.00	19.00
7	177.8	4.30	5.50	10.50	15.50	21.00
8	203.2	4.70	6.00	11.50	17.00	23.00
9	228.6	5.10	6.50	12.50	18.50	25.00
10	254.0	5.50	7.00	13.50	20.00	27.00
11	279.4	5.90	7.50	14.50	21.50	29.00
12	304.8	6.30	8.00	15.50	23.00	31.00
13	330.2	6.70	8.50	16.50	24.50	33.00
14	355.6	7.10	9.00	17.50	26.00	35.00
15	381.0	7.50	9.50	18.50	27.50	37.00
16	406.4	7.90	10.00	19.50	29.00	39.00
17	431.8	8.30	10.50	20.50	30.50	41.00
18	457.2	8.70	11.00	21.50	32.00	43.00
19	482.6	9.10	11.50	22.50	33.50	45.00
20	508.0	9.50	12.00	23.50	35.00	47.00

FIG. 5




FIG. 6




FIG. 7A




FIG. 7B




FIG. 8A




FIG. 8B

